

The Day Trippers – Technical Rider

5-Piece Band

1 Drummer | 1 Bassist | 1 Guitarists | 1 Keyboard Player | 1 Lead Vocalist

(All members provide backing/alternate lead vocals)

Backline Requirements

- **Drums (Nikhil)**
 - 5-piece drum kit with all necessary hardware(4Xcymbal boom stands), Sturdy Drum throne (kick, snare, 2 toms, 1 floor tom)
 - Ride cymbal(20"/21"/22"), crash cymbalsX2(16"/18"/20"), Hihat cymbals(14")
 - Appropriate microphones provided by venue (see channel list)
 - 1 x Stereo DI for drum pads (e.g., Roland DTX/SPD)

- **Guitar (Mayank)**
 - 1 x Guitar amplifier (Guitar amp Marshall JCM 900/ VOX AC30)
 - 1 x SM57 microphone
 - 1 x Small boom stand
 - 1 x Floor guitar stand with neck clamps

- **Bass (Amar)**
 - 1 x Bass amplifier (4x10)
 - Band will bring 2 DI boxes (active or passive)
 - Requires 2 x XLR lines from FOH for bass DI outputs

- **Keyboard (Abhimanyu)**
 - 1 x Stereo DI for keyboard
 - 1 x Keyboard stand

- **Vocals (Sherry, Mayank, Amar, Nikhil, Abhimanyu)**
 - 5 x Vocal microphones (Shure SM58 or equivalent)
 - 5 x Tall boom stands
-

Power Requirements

- Minimum 5 x standard **electrical power extensions** (with surge protection if possible)
- Stage power points available at drummer, keyboardist, bassist and guitar positions

Other Notes

- All vocals require individual monitor mixes if possible (minimum 4 sends recommended)
- Please ensure drum riser is available if the stage is large
- 2 **guitar stands** with neck clamp (Hercules GS414B PLUS) on stage
- 5 **sheet stands**/music stands on stage

| INPUT | SOURCE |
|-------|--|
| 1 | KICK |
| 2 | SNARE TOP |
| 3 | SNARE BOTTOM |
| 4 | RAC TOM |
| 5 | RAC TOM |
| 6 | FLOOR TOM |
| 7 | OH L |
| 8 | OH R |
| 9 | BASS DI 1 CLEAN (needs phantom power) |

| | |
|----|-----------------|
| 10 | BASS DI 2 FX |
| 11 | KEYS L |
| 12 | KEYS R |
| 13 | GAT (MAYANK) |
| 14 | VOX (SHERRY) |
| 15 | VOX (AMAR) |
| 16 | VOX (MAYANK) |
| 17 | VOX (NIKHIL) |
| 18 | VOX (AMBIMANYU) |
| | |
| | |